

### **Amendments to the Specification**

Page 79, line 19, change the paragraph to read as follows:

(Dispersion example 1)

15 parts by weight of the pigment composition (1) synthesized in the above-mentioned synthesis example 1, 7 parts by weight of an acrylic based dispersing agent “BYK-2001” produced by BYK Chemie, and 78 parts by weight of propylene glycol monomethyl ether acetate (hereinafter it is referred to as the PGMEA) were placed in a high speed dispersing machine “TSC-6H” produced by Igarashi Kikai Seizou Corp. with zirconia beads having a 0.5 mm diameter placed so as to be agitated at 2,000 rotations per minute for 8 hours so as to prepare a brominated zinc phthalocyanine pigment dispersion (1). After the preparation, the spectral transmittance spectrum measurement, the particle

Page 82, Table 1, please replace with the following table:

Table 1: Green pigment single color dispersion

	Tmax wavelength	Dispersion example 1 (dispersion 1)	Dispersion example 2 (dispersion 2)	Dispersion comparative example 1 (PG7 dispersion)	Dispersion comparative example 2 (PG36 dispersion)
		515 nm 93.8 %	520 nm 92.8 %	495 nm 92.7 %	520 nm 93.6 %
Spectral transmittance Spectrum (Tmin 5%)	Maximum	5 %			
	Minimum				
	435 nm	38.7 %	35.2 %	46.0 %	38.2 %
	490 nm	86.0 %	79.9 %	92.5 %	89.3 %
	545 nm	85.6 %	88.0 %	80.9 %	90.8 %
Chromaticity (y=0.440)	610 nm	9.2 %	14.6 %	6.9 %	21.6 %
	(x value)	0.247	0.274	0.214	0.284
	(y value)	0.440			
	(Y value)	61.2	68.1	45.9	71.7
Viscosity		4.7 cps	4.6 cps	5.8 cps	5.2 cps
Particle size Distribution	10 %	29.1	31.5	35.5	34.2
	50 %	53.6	52.8	65.0	63.8
	90 %	101.5	103.4	120.3	111.9

Page 101, amend the heading of Table 4 to read as follows:

Table ~~[[4]]~~ 5: Green pixel examples